Quality Analysis ... *Innovative Technologies*

Report No.: **A22-18642**
Report Date: **05-Feb-23**
Date Submitted: **13-Dec-22**
Your Reference: **SHEEP CREEK**

U.S. CRITICAL MATERIALS
4190 SOUTH HIGHLANDS DRIVE, SUITE 230, S
SALT LAKE CITY UTAH
United States

CERTIFICATE OF ANALYSIS

47 Rock samples were submitted for analysis.

The following analytical package(s) were requested:		Testing Date:
8-REE Assay Package	QOP WRA/ QOP WRA 4B2 (Major/Trace Elements Fusion ICPOES/ICPMS)	2023-01-17 16:36:56

REPORT **A22-18642**

Notes:

Total includes all elements in % oxide to the left of total.

Footnote: Zr/Nb/Ta/Hf results are semi-quantitative for samples with P2O5 >0.3%. HREE (Gd-Lu) results at low concentrations may be semi-quantitative for samples with % level Ce/Nd.

SCC Accredited LAB Accrédité CCN TM

LabID: 266

CERTIFIED BY:

Mark Vandergeest
Quality Control Coordinator

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Analyte Symbol	SiO2	Al2O3	Fe2O3(T)	MnO	MgO	CaO	Na2O	K2O	TiO2	P2O5	LOI	Total	Sc	Be	V	Cr	Co	Ni	Cu	Zn	Ga	Ge	As
Unit Symbol	%	%	%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.01	0.01	0.01	0.005	0.01	0.01	0.01	0.01	0.001	0.01		0.01	1	1	5	20	1	20	10	30	1	1	5
Method Code	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	GRAV	FUS-ICP	FUS-ICP	FUS-ICP	FUS-ICP	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS
21042	7.40	1.35	5.57	0.534	6.05	35.87	0.19	0.14	0.147	4.40	30.99	92.64	35	1	54	20	14	20	< 10	40	40	< 1	10
21043	4.67	0.38	4.72	0.550	3.26	32.69	0.07	0.04	0.041	3.17	28.52	78.11	48	1	79	< 20	19	20	100	30	92	4	24
21044	4.96	0.39	5.65	0.428	6.50	42.18	0.06	0.04	0.169	5.07	34.32	99.78	14	< 1	52	< 20	14	< 20	< 10	50	6	< 1	5
21045	22.53	0.28	1.41	0.202	0.32	12.04	0.09	0.12	0.060	1.43	18.18	56.67	49	7	54	< 20	4	< 20	< 10	< 30	338	10	69
21046	2.70	0.31	7.92	0.627	10.91	29.54	0.02	0.05	0.057	2.63	34.32	89.09	43	< 1	63	< 20	13	< 20	< 10	40	6	< 1	< 5
21046A	26.05	10.80	49.74	0.165	1.75	1.75	0.23	0.14	3.128	1.42	1.24	96.40	73	6	374	540	14	70	70	390	53	1	38
21047	9.18	1.72	6.86	0.653	10.04	33.90	0.33	0.08	0.060	2.25	33.84	98.92	39	< 1	48	< 20	14	< 20	30	40	19	< 1	5
21048	6.73	1.93	7.08	0.560	7.33	25.18	0.03	0.06	0.097	5.72	25.66	80.37	95	3	196	< 20	9	< 20	10	40	201	10	52
21049	2.80	0.38	8.34	0.717	2.46	45.31	0.06	0.02	0.048	5.55	33.76	99.44	21	< 1	50	< 20	15	20	< 10	60	9	< 1	< 5
21050	37.36	4.96	10.00	0.191	0.59	23.92	0.03	1.53	0.299	0.06	20.97	99.91	21	1	111	50	28	50	< 10	80	7	5	< 5
21051	54.82	5.00	2.90	0.149	0.41	19.46	0.04	1.44	0.373	0.06	16.20	100.8	15	< 1	101	60	15	40	10	50	8	5	5
21052	2.15	0.24	6.76	0.272	8.60	40.51	0.02	0.01	0.172	3.10	38.57	100.4	12	< 1	88	< 20	22	20	30	< 30	3	< 1	< 5
21052A	19.14	8.93	54.34	0.382	1.45	1.26	0.19	0.11	3.178	3.26	0.96	93.20	159	17	253	350	17	110	100	1150	114	7	71
21053	28.04	6.22	9.25	0.434	2.55	24.55	3.17	0.05	0.282	1.28	19.95	95.78	70	1	262	80	18	40	10	40	39	< 1	8
21054	40.64	9.41	3.97	0.290	0.83	22.34	2.39	1.56	0.571	0.08	18.85	100.9	19	2	104	60	12	30	< 10	40	12	2	< 5
21055	6.73	1.28	3.73	0.695	0.65	43.37	0.03	0.05	0.170	2.56	33.27	92.55	40	2	196	< 20	7	< 20	< 10	40	70	< 1	18
21056	4.94	1.10	4.86	0.331	9.51	39.11	0.39	0.08	0.081	5.82	34.45	100.7	16	< 1	38	< 20	9	< 20	< 10	40	7	< 1	5
21057	2.46	0.40	4.84	0.235	6.81	43.12	0.02	0.04	0.234	1.26	40.11	99.53	14	< 1	82	< 20	19	30	60	< 30	4	< 1	< 5
21057A	71.12	13.77	3.89	0.063	1.44	3.21	3.54	2.48	0.333	0.13	0.99	101.0	8	1	60	80	9	20	20	40	16	< 1	< 5
21058	4.93	0.24	7.36	0.698	7.88	37.54	0.03	0.01	0.044	4.49	35.26	98.50	33	< 1	60	< 20	17	< 20	20	30	12	< 1	5
21059	17.65	1.39	6.01	0.585	6.27	32.84	0.12	0.15	0.136	3.95	29.06	98.15	28	< 1	51	20	20	20	30	< 30	17	< 1	9
21060	8.23	2.46	7.36	0.673	5.52	36.04	0.02	0.06	0.107	4.35	29.55	94.37	61	2	202	20	13	< 20	30	50	64	< 1	14
21061	46.82	13.31	9.80	0.200	5.66	10.68	3.18	0.25	1.488	0.10	9.49	101.0	27	< 1	199	90	30	50	< 10	60	15	1	< 5
21061A	30.07	11.36	46.24	0.091	1.80	1.81	0.22	0.27	2.993	0.82	1.66	97.34	44	2	393	610	13	60	60	160	46	1	37
21062	7.13	0.88	5.23	0.399	9.04	38.84	0.03	0.12	0.131	2.87	36.23	100.9	9	< 1	32	< 20	11	20	30	< 30	4	< 1	< 5
21063	2.61	0.58	6.35	0.632	11.63	34.20	0.18	0.01	0.117	5.11	34.35	95.76	28	< 1	36	< 20	12	< 20	< 10	80	10	< 1	< 5
21064	6.82	0.72	7.06	0.587	6.16	38.75	0.07	0.06	0.066	3.82	32.61	96.73	61	< 1	132	< 20	12	< 20	< 10	50	41	< 1	12
21065	7.48	0.54	1.98	0.296	0.92	36.11	0.08	0.06	0.046	0.84	33.01	81.36	45	5	68	< 20	2	< 20	10	< 30	234	7	48
21066	4.78	1.41	6.94	0.529	12.39	33.20	0.04	0.20	0.128	5.48	33.55	98.63	21	< 1	58	20	18	40	60	30	24	< 1	6
21067	27.31	5.73	8.02	0.388	9.43	22.97	1.04	0.48	0.317	2.97	19.42	98.07	27	< 1	115	110	26	50	50	50	28	< 1	5
21068	1.16	0.21	2.30	0.387	1.61	39.98	0.05	0.06	0.025	0.41	38.38	84.56	38	3	19	< 20	9	< 20	20	< 30	185	6	39
21069	43.66	9.51	8.95	0.194	4.81	13.71	3.87	0.75	0.768	1.24	11.52	98.98	60	2	249	150	28	80	30	70	18	1	< 5
21070	50.44	6.25	7.21	0.177	1.76	11.03	3.11	0.33	0.736	0.45	10.14	91.64	33	2	163	30	15	< 20	20	40	38	< 1	6
21071	35.11	9.79	9.35	0.302	5.23	16.57	3.43	1.14	0.609	0.71	13.41	95.63	48	1	203	340	35	90	10	80	26	< 1	6
21071A	68.94	13.49	3.74	0.062	1.41	3.27	3.28	2.34	0.330	0.13	1.06	98.04	7	1	59	70	8	20	10	< 30	15	1	< 5
21072	11.09	3.00	5.60	0.380	4.24	24.05	1.18	0.40	0.275	2.34	22.88	75.44	52	1	124	30	14	30	120	50	114	5	28
21073	8.64	2.18	5.02	0.514	5.86	38.71	0.80	0.10	0.121	4.39	31.70	98.03	19	< 1	50	20	15	30	30	< 30	8	< 1	< 5
21074	28.73	7.04	7.34	0.281	3.48	23.19	2.71	0.23	0.316	0.97	19.83	94.11	36	1	142	60	15	30	< 10	< 30	21	< 1	< 5
21075	13.73	3.22	6.20	0.470	3.17	36.65	1.37	0.63	0.265	1.63	27.92	95.25	84	< 1	188	80	11	30	< 10	30	6	< 1	< 5
21075A	50.16	12.59	27.90	0.051	1.28	1.01	0.18	1.52	1.962	0.48	3.00	100.1	30	3	264	370	10	50	40	110	30	1	50
21076	9.40	2.40	5.24	0.474	3.60	39.71	0.55	1.08	0.328	1.19	30.78	94.77	56	< 1	133	40	12	20	< 10	40	6	< 1	< 5
21077	15.32	2.92	10.55	0.556	5.39	21.10	0.30	0.60	0.211	0.69	21.31	78.95	74	2	157	20	88	< 20	200	90	135	6	29
21078	15.73	3.95	5.40	0.322	3.41	25.88	1.14	0.61	0.294	0.50	23.47	80.70	46	2	130	50	19	40	30	50	103	5	23
21079	19.25	4.50	5.13	0.310	2.79	27.60	1.14	0.95	0.332	0.87	24.56	87.43	54	1	130	60	21	40	10	40	138	6	29
21080	13.41	3.59	6.76	0.410	4.65	30.35	0.90	1.30	0.433	1.18	25.83	88.80	63	< 1	170	50	21	40	10	60	47	2	11
21081	35.61	8.32	5.38	0.252	3.31	15.76	2.87	1.04	0.343	0.19	15.38	88.46	30	1	109	60	15	40	40	< 30	110	5	23
21082	18.50	4.81	5.80	0.299	2.88	25.47	1.44	0.66	0.315	0.59	20.98	81.75	50	1	163	50	19	40	10	60	94	4	20

Analyte Symbol	Rb	Sr	Y	Zr	Nb	Mo	Ag	In	Sn	Sb	Cs	Ba	Bi	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	2	2	2	4	1	2	0.5	0.2	1	0.5	0.5	3	0.4	0.1	0.1	0.05	0.1	0.1	0.05	0.1	0.1	0.1	0.1
Method Code	FUS-MS	FUS-ICP	FUS-ICP	FUS-ICP	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-ICP	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS
21042	3	9430	127	256	1080	< 2	< 0.5	< 0.2	1	< 0.5	< 0.5	14890	< 0.4	11400	14900	1230	3550	290	57.2	120	11.0	40.5	5.5
21043	< 2	4171	75	33	707	126	< 0.5	< 0.2	2	< 0.5	< 0.5	101600	< 0.4	12700	17100	1410	3970	271	48.2	98.4	7.6	24.2	3.2
21044	2	1668	74	188	287	< 2	< 0.5	< 0.2	< 1	< 0.5	< 0.5	1063	< 0.4	446	762	84.9	296	42.2	11.2	26.1	3.3	16.4	2.8
21045	< 2	37690	115	11	105	2	< 0.5	< 0.2	< 1	< 0.5	< 0.5	76490	< 0.4	64600	82000	6110	16800	1030	188	364	24.8	58.5	6.3
21046	3	4314	74	56	128	28	< 0.5	< 0.2	1	< 0.5	< 0.5	66440	< 0.4	546	839	84.5	275	34.2	7.42	21.3	2.7	14.5	2.7
21046A	6	969	183	450	986	55	0.9	1.1	25	2.0	< 0.5	1234	2.6	4870	6460	974	3650	544	119	241	21.4	73.5	8.8
21047	3	2171	91	59	38	304	< 0.5	< 0.2	1	< 0.5	< 0.5	5251	< 0.4	2720	3860	352	1050	103	22.9	51.6	5.4	24.0	3.7
21048	< 2	3256	199	11	161	15	< 0.5	0.3	2	< 0.5	< 0.5	61020	< 0.4	28400	36800	2960	7880	595	118	243	21.2	67.9	8.3
21049	2	2159	65	84	622	15	< 0.5	< 0.2	< 1	< 0.5	< 0.5	729	< 0.4	1930	2820	270	842	89.6	20.4	45.4	4.7	18.9	2.6
21050	105	62	20	41	20	2	< 0.5	< 0.2	1	12.6	1.3	252	< 0.4	16.9	32.6	3.59	13.5	3.0	0.99	3.1	0.5	3.5	0.7
21051	102	157	17	55	13	< 2	< 0.5	< 0.2	< 1	17.9	1.5	263	< 0.4	53.2	78.4	7.17	22.8	3.4	0.89	2.7	0.4	2.5	0.5
21052	< 2	1503	26	149	78	< 2	< 0.5	< 0.2	< 1	< 0.5	< 0.5	243	< 0.4	144	302	37.8	148	22.9	5.72	13.5	1.5	6.7	1.0
21052A	4	2039	458	361	897	74	3.4	2.0	21	1.6	< 0.5	1750	3.8	12200	15900	2550	9470	1460	339	673	56.8	182	20.9
21053	< 2	1487	51	80	420	5	< 0.5	0.2	5	< 0.5	< 0.5	503	< 0.4	9660	12400	998	2750	189	34.2	64.9	5.1	17.0	2.2
21054	111	415	29	169	13	< 2	< 0.5	< 0.2	< 1	2.0	1.2	391	< 0.4	44.3	73.8	7.49	26.6	4.8	1.60	4.8	0.8	5.1	1.1
21055	< 2	2508	99	9	720	12	< 0.5	0.2	4	< 0.5	< 0.5	644	< 0.4	20500	26100	2090	5630	400	71.5	135	10.2	33.4	4.1
21056	2	2157	64	153	162	< 2	< 0.5	< 0.2	< 1	< 0.5	< 0.5	1118	< 0.4	471	787	84.7	293	41.7	10.6	26.8	3.1	14.8	2.4
21057	< 2	1355	27	244	77	< 2	< 0.5	< 0.2	1	< 0.5	< 0.5	208	< 0.4	181	346	39.0	142	21.0	5.22	13.2	1.4	6.2	1.0
21057A	70	462	11	108	6	< 2	< 0.5	< 0.2	1	< 0.5	1.1	1078	< 0.4	35.5	61.2	6.54	22.5	3.8	0.86	2.9	0.4	2.2	0.4
21058	< 2	5921	65	61	884	< 2	< 0.5	< 0.2	1	< 0.5	< 0.5	332	< 0.4	2840	3900	356	1030	96.4	21.0	46.1	4.6	18.9	2.7
21059	4	4498	65	72	305	< 2	< 0.5	< 0.2	< 1	< 0.5	< 0.5	1114	< 0.4	3700	4950	436	1260	107	22.1	47.3	4.6	18.6	2.6
21060	< 2	5395	117	13	1520	< 2	< 0.5	0.3	2	< 0.5	< 0.5	566	< 0.4	17400	22400	1780	4870	355	72.3	136	11.6	41.7	5.4
21061	10	303	31	84	40	< 2	< 0.5	< 0.2	1	< 0.5	1.0	332	< 0.4	74.6	104	9.30	29.0	4.5	1.16	4.2	0.8	4.9	1.0
21061A	14	578	91	556	996	49	< 0.5	0.6	26	2.5	0.8	1015	2.3	2740	3600	510	1720	228	48.7	101	9.8	36.0	4.7
21062	5	916	32	200	88	< 2	< 0.5	< 0.2	< 1	< 0.5	< 0.5	257	< 0.4	198	390	44.4	161	23.6	5.76	14.3	1.6	7.6	1.2
21063	< 2	4887	143	31	1970	< 2	< 0.5	< 0.2	< 1	< 0.5	< 0.5	6587	< 0.4	1880	2810	280	935	119	29.2	68.7	7.9	36.5	5.6
21064	2	4487	76	39	116	< 2	< 0.5	0.2	3	< 0.5	< 0.5	2091	< 0.4	12100	14800	1160	3160	216	39.2	81.7	6.6	23.8	3.2
21065	< 2	22120	94	9	92	< 2	< 0.5	< 0.2	1	< 0.5	< 0.5	16990	< 0.4	40800	51700	4030	10500	643	109	217	15.3	38.8	4.5
21066	7	4756	74	130	537	< 2	< 0.5	< 0.2	< 1	< 0.5	0.5	1477	< 0.4	5710	7360	616	1730	140	26.3	58.5	5.6	21.9	3.2
21067	16	2595	65	78	357	< 2	< 0.5	< 0.2	1	< 0.5	0.8	1279	< 0.4	5710	7340	618	1770	141	25.5	55.9	5.0	18.6	2.6
21068	< 2	26920	74	5	69	6	< 0.5	< 0.2	< 1	< 0.5	< 0.5	10180	< 0.4	31000	40200	3200	8510	548	93.9	183	12.9	30.4	3.4
21069	35	1463	38	132	734	8	< 0.5	0.2	7	< 0.5	1.6	6294	< 0.4	1670	2260	202	590	50.1	10.6	23.1	2.3	9.9	1.5
21070	18	2980	40	145	161	3	< 0.5	< 0.2	3	< 0.5	1.2	30880	< 0.4	8430	10700	868	2360	149	24.5	47.8	3.7	11.9	1.7
21071	29	2815	38	92	391	< 2	< 0.5	< 0.2	2	< 0.5	0.9	5259	< 0.4	5720	7660	704	1950	128	22.0	42.2	3.2	12.0	1.6
21071A	66	440	11	101	4	< 2	< 0.5	< 0.2	1	< 0.5	1.1	1036	< 0.4	52.8	77.1	7.95	26.5	3.6	0.87	2.7	0.4	2.3	0.4
21072	9	12630	93	52	1080	4	< 0.5	< 0.2	2	< 0.5	< 0.5	100900	< 0.4	16600	21100	1650	4450	294	51.7	104	8.5	27.5	3.7
21073	3	3274	60	48	919	< 2	< 0.5	< 0.2	< 1	< 0.5	< 0.5	9153	< 0.4	1500	2120	219	691	74.0	16.8	38.0	4.1	17.0	2.5
21074	9	1283	38	117	240	2	< 0.5	< 0.2	1	< 0.5	< 0.5	18170	< 0.4	5150	6360	555	1450	89.8	15.6	31.9	2.7	10.2	1.6
21075	14	5591	54	20	856	15	< 0.5	0.2	3	< 0.5	< 0.5	23290	< 0.4	676	1040	115	379	47.2	11.3	27.1	3.0	13.9	2.1
21075A	74	309	61	416	694	25	< 0.5	0.4	17	3.6	3.7	880	1.5	1360	1730	251	853	111	22.9	49.1	4.9	19.7	2.7
21076	30	6514	64	10	1410	55	< 0.5	< 0.2	3	< 0.5	0.6	23880	< 0.4	804	1200	129	411	48.8	11.6	27.2	3.3	15.5	2.4
21077	14	8395	50	13	144	21	< 0.5	< 0.2	6	< 0.5	< 0.5	80880	< 0.4	20400	24900	1870	4910	298	52.0	97.4	7.0	18.5	2.2
21078	12	6919	70	30	158	52	< 0.5	< 0.2	3	< 0.5	< 0.5	82780	< 0.4	15600	18900	1450	3870	239	39.6	80.8	6.3	19.1	2.6
21079	17	14060	65	25	501	30	< 0.5	< 0.2	3	< 0.5	< 0.5	25600	< 0.4	22000	26900	2050	5380	331	55.3	108	8.0	21.6	2.7
21080	29	13550	96	19	5070	46	< 0.5	0.2	4	< 0.5	0.6	36160	< 0.4	6330	8070	648	1820	142	28.2	61.6	6.1	24.2	3.7
21081	22	3999	42	79	378	18	< 0.5	< 0.2	2	< 0.5	0.7	33560	< 0.4	15600	19400	1470	3890	239	41.2	77.8	5.5	14.2	1.7
21082	14	3452	44	29	700	94	< 0.5	< 0.2	3	< 0.5	0.5	79120	< 0.4	14000	17000	1290	3350	198	32.8	65.8	5.1	14.3	1.8

Analyte Symbol	Er	Tm	Yb	Lu	Hf	Ta	W	Tl	Pb	Th	U
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
Lower Limit	0.1	0.05	0.1	0.04	0.2	0.1	1	0.1	5	0.1	0.1
Method Code	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS	FUS-MS
21042	10.6	1.14	5.8	0.86	3.3	6.8	8	< 0.1	43	177	12.8
21043	6.3	0.69	4.1	0.58	1.1	2.0	7	< 0.1	40	142	6.9
21044	7.3	0.91	5.7	0.85	2.4	4.7	3	< 0.1	10	49.0	4.9
21045	11.6	1.15	6.4	1.03	0.8	0.4	3	< 0.1	170	830	0.8
21046	7.8	1.12	7.4	1.13	1.4	1.1	4	< 0.1	14	14.0	9.3
21046A	17.4	1.48	6.7	0.92	8.8	19.3	2	0.1	124	308	8.3
21047	9.3	1.08	6.7	1.04	0.3	0.1	< 1	< 0.1	10	28.3	5.3
21048	14.8	1.43	7.2	1.02	0.9	0.9	3	< 0.1	12	298	22.9
21049	5.1	0.56	2.9	0.44	1.1	2.7	< 1	< 0.1	18	36.7	5.6
21050	2.1	0.30	2.1	0.35	1.0	0.2	2	0.4	8	2.0	1.0
21051	1.5	0.22	1.5	0.23	1.0	0.1	2	0.4	9	2.9	0.6
21052	2.4	0.28	1.5	0.27	2.1	2.1	2	< 0.1	10	8.2	4.1
21052A	39.2	3.42	15.5	2.13	5.8	11.0	2	0.2	152	563	18.9
21053	4.2	0.50	2.7	0.40	2.7	1.5	3	< 0.1	16	162	3.8
21054	3.3	0.47	3.1	0.50	4.3	0.5	4	0.4	< 5	10.7	1.8
21055	8.0	0.82	4.3	0.68	0.5	1.5	6	< 0.1	26	200	2.8
21056	5.7	0.73	4.1	0.62	1.4	1.9	3	< 0.1	8	26.9	21.4
21057	2.2	0.26	1.5	0.26	3.3	0.5	< 1	< 0.1	< 5	10.5	3.2
21057A	1.1	0.16	1.0	0.17	2.7	0.3	< 1	0.3	18	11.2	1.6
21058	5.8	0.60	3.3	0.44	0.9	2.5	1	< 0.1	10	55.2	9.8
21059	5.8	0.59	3.2	0.47	1.1	1.6	3	< 0.1	6	50.0	9.7
21060	10.8	1.10	5.4	0.78	0.5	3.7	4	< 0.1	9	186	26.7
21061	3.3	0.48	3.5	0.61	2.3	0.6	2	< 0.1	< 5	4.4	1.3
21061A	8.7	0.88	4.4	0.58	12.3	21.1	3	0.1	116	226	4.9
21062	3.1	0.34	1.9	0.31	2.3	0.6	2	< 0.1	< 5	7.6	4.1
21063	12.8	1.38	7.5	1.06	0.4	7.2	< 1	< 0.1	13	18.3	23.7
21064	6.8	0.72	3.8	0.59	1.0	0.6	4	< 0.1	17	105	12.1
21065	7.9	0.89	4.7	0.75	0.5	< 0.1	2	< 0.1	118	337	2.3
21066	7.3	0.79	4.4	0.65	1.3	4.5	2	< 0.1	9	62.8	19.5
21067	5.7	0.60	3.3	0.52	1.2	4.8	< 1	< 0.1	6	55.2	12.7
21068	6.3	0.61	3.0	0.49	0.3	< 0.1	< 1	< 0.1	109	263	0.3
21069	3.6	0.41	2.4	0.37	3.5	2.4	< 1	0.1	11	31.4	2.3
21070	4.1	0.48	2.7	0.45	3.0	1.0	1	< 0.1	29	73.3	1.8
21071	3.9	0.42	2.4	0.33	2.2	1.3	1	0.1	17	51.4	0.6
21071A	1.0	0.16	1.0	0.14	2.5	0.3	< 1	0.3	15	7.6	1.4
21072	7.7	0.90	5.2	0.81	1.3	2.7	5	< 0.1	70	194	2.0
21073	5.4	0.61	3.0	0.41	0.6	3.4	< 1	< 0.1	13	36.3	9.7
21074	4.0	0.48	2.7	0.41	2.6	1.1	6	< 0.1	< 5	49.8	1.9
21075	5.1	0.58	3.4	0.55	0.8	1.9	< 1	< 0.1	15	20.0	0.6
21075A	6.0	0.64	3.5	0.53	10.5	13.7	4	0.4	59	117	4.3
21076	5.9	0.77	4.8	0.75	0.6	3.1	< 1	< 0.1	25	31.5	0.3
21077	4.1	0.42	2.5	0.36	0.9	0.4	9	0.2	8	170	1.1
21078	5.6	0.65	4.1	0.63	1.1	0.5	4	< 0.1	52	115	0.5
21079	5.1	0.62	3.7	0.54	1.0	1.4	4	< 0.1	72	146	0.5
21080	8.9	1.05	6.5	1.00	0.8	12.5	< 1	< 0.1	43	147	0.9
21081	3.3	0.33	2.0	0.29	2.1	1.0	4	0.1	21	107	0.9
21082	4.0	0.46	2.6	0.41	1.1	3.1	3	< 0.1	37	149	0.6